


CAT Cat® C13 Diesel Engine

<https://www.zeppelin-powersystems.com/de/en/>



Maximum Power	388 kW
Maximum Torque	2.381 Nm @ 1600 rpm
Rated Speed	1800-2100 rpm
Minimum Power	287 kW
Emissions	U.S. EPA Tier 4 Final
Engine Configuration	In-Line 6
Bore	130 mm
Stroke	157 mm
Displacement	12,5 l
Compression Ratio	17.0:1
Aspiration	Turbocharged-Aftercooled (TA)
Combustion System	Direct Injection
Rotation from Flywheel End	Counterclockwise
Aftertreatment	DOC+DPF+SCR
Length	1.274 mm
Width	994 mm
Height	134 mm
Weight - Net Dry - Basic Operating Engine Without Optional Attachments	1.143 kg
Length	1.059 mm
Width	1.049 mm
Height	654 mm
Weight	259 kg
Length	854 mm
Width	287 mm
Height	551 mm
Weight	19,4 kg
Volume Capacity	48,4 l



CAT Cat® C13 Diesel Engine

This offer is without obligation. The offer is based on our General Terms and Conditions of Sale and Delivery. Changes to equipment and accessories required for technical reasons may be made at any time. Subject to errors, changes and intermediate sale. Statutory value-added tax shall be added to all price.

CAT Cat® C13 Diesel Engine

