

CAT PPO P33-3



<https://www.zepelin-powersystems.com/de/en/>

Holger Uphoff
Phone: +49 4213877560
Mobile: +49 15209057498
holger.uphoff@zepelin.com

Reinhard Grünker
Phone: +49 4213877566
Mobile: +49 1712322285
reinhard.gruenker@zepelin.com

Availability	Available
Certification	No Certification
Code	NCR
Running Hours	0 h
Serial Number	JSA06317
Status	Used
G-Number	G006104
Year	2.022
Manufacturer	CAT
Power Dual	false
Power Fuel	Diesel
Frequency	50 Hz
Power	26 kW
Rating	33 kVA
Type	Standby
Speed	1.500 RPM
Weight	kgs
Voltage	400 V
Postal Code	28.217
City	Bremen
Country	DE

This offer is without obligation. The offer is based on our General Terms and Conditions of Sale and Delivery. Changes to equipment and accessories required for technical reasons may be made at any time. Subject to errors, changes and intermediate sale. Statutory value-added tax shall be added to all price.

CAT PPO P33-3



Caterpillar (N) Limited		ISO 8508	
<p>616 Glenworth Road, Larnac, Co. Antrim BT48 1EJ Northern Ireland, United Kingdom Tel: +44 (0) 28 26261000 Fax: +44 (0) 28 26261111 www.PCWilson.com</p>			
<p>MANUFACTURER: Caterpillar (N) Limited MODEL: P33-3 SERIAL NO: F098P27VJ546317 SALES ORDER REF: 500461180 MONTH/YEAR OF MANUFACTURE: 06/2022 AMBIENT TEMP: 20 °C</p>		<p>GENERATING SET RATED POWER: 33 kVA STANDBY: 33 kVA PRIME: 30 kVA 24 kVA RATED VOLTAGE: 400/230 V PHASE: 3 RATED POWER FACTOR: 0.8 Cos φ RATED FREQUENCY: 50 Hz RATED CURRENT - STANDBY: 48 A RATED CURRENT - PRIME: 45 A RATED RPM: 1500 rpm ALTITUDE: 100 m ALTERNATOR CONNECTION: 5.0TAP ISO 8508 - 3-RETRNG: P6 ALTERNATOR ENCLOSURE: IP23 INSULATION CLASS: F EXCITATION VOLTAGE: 22.8 V EXCITATION CURRENT: 3.20 A BASES: 850 mm DIMENSIONS LxWxH: 1500x920x1380 mm</p>	



CAT PPO P33-3

