

CAT PPO P33-3



<https://www.zepelin-powersystems.com/de/en/>

Holger Uphoff
Phone: +49 4213877560
Mobile: +49 15209057498
holger.uphoff@zepelin.com

Reinhard Grünker
Phone: +49 4213877566
Mobile: +49 1712322285
reinhard.gruenker@zepelin.com


Availability	Available
Certification	No Certification
Code	NCR
Running Hours	0 h
Serial Number	JSA06280
Status	Used
G-Number	G006106
Year	2.022
Manufacturer	CAT
Power Dual	false
Power Fuel	Diesel
Frequency	50 Hz
Power	26 kW
Rating	33 kVA
Type	Standby
Speed	1.500 RPM
Weight	kgs
Voltage	400 V
Postal Code	28.217
City	Bremen
Country	DE

This offer is without obligation. The offer is based on our General Terms and Conditions of Sale and Delivery. Changes to equipment and accessories required for technical reasons may be made at any time. Subject to errors, changes and intermediate sale. Statutory value-added tax shall be added to all price.

CAT PPO P33-3



CAT PPO P33-3

<p>Caterpillar (NI) Limited Old Glenarm Road, Larne, Co Antrim BT40 1EJ, Northern Ireland, United Kingdom Tel: +44 (0) 28 26261000 Fax: +44 (0) 28 26261111 www.FGWilson.com</p> 	
<p>GENERATING SET ISO 8528</p>	
MANUFACTURER	Caterpillar (NI) Limited
MODEL	P33-3
SERIAL NO.	7088F279J5A2CR0
SALES ORDER REF.	502061130
MONTH/YEAR OF MANUFACTURE	08/2022
AMBIENT TEMP	25 °C
RATED POWER	33 kVA
STANDBY	26.4 kW
PRIME	32 kVA
	24 kW
	400/230 V
RATED VOLTAGE	3
PHASE	3
RATED POWER FACTOR	0.8
RATED FREQUENCY	50 Hz
RATED CURRENT - STANDBY	68 A
RATED CURRENT - PRIME	1000 rpm
RATED RPM	1500 rpm
ALTERNATOR CONNECTION	Y, STAR
ALTERNATOR ENCLOSURE	IP23
INSULATION CLASS	F
EXCITATION VOLTAGE	2.37 V
EXCITATION CURRENT	8.8 A
WEIGHT	1800 kg
DIMENSIONS (LxWxH)	1800x1200x1500 mm

This generator set is designed to operate in ambient temperatures up to 40 °C and at higher altitudes. Please consult the manufacturer's literature for complete specifications.